



4/0 Ceiling Fixture Box

FIXTURE SUPPORT WITH NAILS OR HANGER MOUNT

P/Ns 9352-NK & 9352-BHK

Allied Moulded manufactures fixture support boxes to address many applications. The latest addition to this extensive product line is the 4/0 fixture support box, P/N 9352-NK, and the bar-mounted fixture support box, P/N 9352-BHK.

These ceiling fixture support boxes are rated for use in both 16" and 24" span ceiling joist applications and meet both UL[®] deflection and 2011-2017 National Electrical Code (Section 314.27) requirements. Both are for new work installations.



Product Specifications

- 4/0 round ceiling fixture box for new work installations
- Available with optional "G" grounding strap
- Designed to accommodate LED retrofit fixtures
- UL[®] listed for use in 2-hour fire resistive wall and ceiling assemblies
- UL[®] listed for maximum 50# fixture support
- Two (2) factory-installed Speed "K" Klamps[™]

4" Diameter Fixture Support

Cu. In. Volume	Catalog Number	Component Description	Depth	Diameter	Fixture Rating	UPC# 85339	Std. Pkg. Qty.	Std. Wt. (lb.)
22.5	9352-NK	4" diameter fiberglassbox [™] ceiling fixture box, Speed Klamps [™] , fetter ring nails	2-7/16" overall	4"	50 lb.	98477	48	25
22.5	9352-NGK	4" diameter fiberglassbox [™] ceiling fixture box, Speed Klamps [™] , fetter ring nails, grounding strap	2-7/16" overall	4"	50 lb.	98488	48	25
22.5	9352-BHK	4" diameter fiberglassbox [™] ceiling fixture box, Speed Klamps [™] , mounting bar	2-7/16" overall	4"	50 lb.	98478	20	27
22.5	9352-BHGK	4" diameter fiberglassbox [™] ceiling fixture box, Speed Klamps [™] , grounding strap, mounting bar	2-7/16" overall	4"	50 lb.	98489	20	27





Why Choose Fiberglass?

With innovative products designed for the electrical contractor, Allied Moulded offers the largest, most complete line of box sizes in the industry for a wide variety of applications.

Allied Moulded switch and outlet boxes are molded of impact-resistant, high strength fiberglass reinforced thermoset polyester material. Our fiberglassBOX™ “Premier Series” line of products was created for the electrical contractor looking for nonmetallic outlet boxes with “hard box” characteristics.

Allied Moulded’s fiberglassBOX™ line offers the following advantages:

- Non-corrosive
- Non-conductive
- Non-distorting in high heat
- Will not melt
- Impact resistant in cold temperatures
- Lightweight
- Heat insulator
- Rigid box prevents distortion during drywall installation



Speed “K” Klamps™

Allied Moulded offers a nonmetallic wire clamping system that automatically locks your wire in place for a secure hold. No screws to loosen and tighten makes wiring faster and easier saving time on installation. The Speed “K” Klamp™ allows the wire to be inserted through the knockout and the memory retaining feature of the clamp prevents wire from being pulled back from the box.

Should a knockout be inadvertently opened and not used, the Speed “K” Klamp™ is considered sufficient closure of the opening per UL.

